

NOVA 105



NOVA 105 is the largest OB truck in Europe, equipped with the newest IP core technology. This multi-purpose double-expanding OB truck is designed for very large music recordings, sports productions and live events. The double production room (A+V) makes multiple outputs possible.



GENERAL

EQUIPMENT

	Theoretically unlimited in case of DiPloy
	UHD
	HD/ UHD: 10
	GV K-FRM CXP, 6ME
	Lawo MC²56 / Lawo MC²36

TRUCK DETAILS



Double extension trailer
44 production workstations

POWER REQUIREMENT



3 phase 5p CEE 125Amp
3 phase 30KVA

PROCESSING POWER

UHD/HD

VIDEO

Video Mixer 1	GV K-FRM CXP, 6ME
Panel Video Mixer 1	GV KAYN-3-35-4ME
Multiviewers / Monitors	Lawo MV & Sony monitors
Video Mixer 2	n.a.
Panel VideoMixer 2	2ME panel Karrera/Korona On request
Router	Arista IP network
Controler	Cerebrum
Cameras	Cameras & Lenses HD, UHD, Highspeed & Wireless on Request

AUDIO

Audio Mixer	Lawo MC²56, Lawo MC²36, 64 faders
Monitoring	PMC 5.1.4 Atmos
Devices	Waves server

INTERCOM

Intercom matrix	Riedel Artist-1024 - 160 ports. More ports on request
Intercom panels	42 Keypanels
Wireless intercom	10 Bolero, more on request

SERVERS / LSM

Server positions	3 in OB, 5 in tendertruck
Server type	on request, EVS & XT VIA, SimplyLive Vibox 8 & 16, Sony PWS 4500

DIMENSIONS & WEIGHT



MAIN TRUCK OS-75-XH

Length	Trailer: 13,60 m + Tractor: 16,50 m
Height	4 m
Width	2,50 m
Weight	40 tonnes

IN SERVICE


Width	close: 2,50 m open: 6,5 m
-------	------------------------------



TENDER TRUCK

Length	Trailer: 13,60 m + Tractor: 16,50 m
Height	4 m
Width	2,50 m
Power Generator	n.a.

INTERIOR



NOVA 105 - OVERVIEW




PRODUCTION A




PRODUCTION B




PRODUCTION C



SOUND A



SOUND B



VISION & SERVERRACKS

CONTACT

sales@nl.emglive.com

www.emglive.com