


STUDIO 7



OVERVIEW



LOGES



STUDIO 7



STUDIO FLOOR

surface area: 40 m x 32,60 m

usable surface area: 39 m x 28,35 m

floor load capacity: 1,000 kg/ m2 the floor is made of special synthetic rubber PMP Coating (so the floor can be painted)

Rigging:

- 1 profiel (112/220)
- intire studio: height 10750 mm max. levy of the structure: 100 kg/m2 (10 kN =1.000kg)
- Sx structure Prolyte H40square black 7000 mm/ 11650 mm
- every structure hangs on 4 x 1 ton motors with double break, height bottom 9650 mm

CYCLORAMAS AND SCREENS

Black molton fondcloths, height 9500mm, length studio 1/1

CONTROLE DESK

ADB Mentor 2x Dmx 512

POWER

 2x 400A Powerlock
4x 125A CEE
5x 63A CEE
4x 32A CEE
9x 16A Schuko

Dmx en UTP RJ 45

Dmx 5 pin and UTP RJ 45 on 4 places in the studio

ACCESS

Gate studio to stagehal, width 3000 mm, heigth 5970 mm
Gate stagehal to outside, width 3990 mm, heigth 4490 mm

STUDIO 7



LIGHTING

- 10x fresnel 500w 40x fresnel 1000w
- 40x Fresnel 2000w
- 5 x fresnel 5000w
- 12x soft 2500w
- 12x warp 800w (12° tot 30°)

DIMMER

- 168x 2,5 Kw exported on socapex with break out box to schuko
- 72x 5 Kw exported on harting with break out box to CEE 32A blauw
- Total maximum assessable till 400A 3P